element

DESIGN. QUALITY. PURPOSE



ELEMENT CA850 MODULAR POS TOUCH TERMINAL



Element CA850 POS Terminal

Element CA850

Element CA850 is the Next Generation in Point of Sale Terminals. The CA850 is a sleek and versatile 15.6" Point-of-Sale Terminal that helps provide the best customer experience for the retail & hospitality clients.

With its ultra slim body, attractive metallic design and number of flexible configurations, the CA850 carries out the transactions quickly and efficiently, helping build customer loyalty and growing your business.

- Borderless design with True Flat, P-Cap multi-touch technology
- Fanless design with either i3-7100U 2.4GHz, Elkhart Lake Celeron J6412, or Tiger Lake i3-1115G4 CPU
- 8GB RAM and 128GB M.2 SSD Storage.
- Modular design, reconfigure <u>one</u> product to <u>five</u> configurations
- Blade peripherals, 3-Track MSR, customer display options (CDU) & fingerprint available
- Standard 3-year warranty

Element CA850 POS Terminal

Element CA850

The Element CA850 is built with industrial grade components designed from the ground up to support embedded processors. The result a POS terminal designed to be sleek and fashionable, whilst providing the power, performance and reliability needed for varied POS applications.

- Designed for industrial and commercial applications.
- Uses the long-term roadmap of Intel embedded chip sets.
- Built for the modern needs of fashionable retail environments.



Element CA850 POS Terminal

Design

- Ultra Slim Body
- High Screen-to-Body Ratio
- Multiple Configurations
- Aesthetic Metallic Design






ELEMENT PRODUCT UPDATE Element CA850 POS Terminal Design





ELEMENT PRODUCT UPDATE Element CA850 POS Terminal

Dimensions



Element CA850 POS Terminal

Modular Design





Unique Display Port Cable

DP Cable

- Power / Video /Data
- Three Lengths Available (46cm / 58cm / 200cm)



Element CA850 POS Terminal

Configurations

One Product, Five configurations, Unlimited applications

All-in-one



Hidden System Box



Element CA850 POS Terminal

Peripherals 90 ~ Scanner **180** ° Fingerprint Reader **MSR NFC** Reader iButton element

ELEMENT PRODUCT UPDATE Element CA850 POS Terminal 2nd Displays



LCM


10.1" 2nd Display


15.6" 2nd Display





Element CA850 POS Terminal





Element CA850 POS Terminal

Summary

element

Applications						
Hospitality such as:						
Quick service restaurants						
• Pubs						
• Clubs						
• Cafes						
Fashion & Apparel						
Grocery						
Pharmacy						
Petroleum						
Industrial and commercial applications						

Features

15.6" widescreen all-in-one POS Terminal

Borderless design with True Flat, P-Cap multi-touch technology

Fanless design with either i3-7100U 2.4GHz, Elkhart Lake Celeron J641, or Tiger Lake i3-1115G4 CPU

8GB RAM and 128GB M.2 SSD Storage.

Modular design, reconfigure <u>one</u> product to <u>five</u> configurations

Blade peripherals, 3-Track MSR, customer display options (CDU) & fingerprint available

Standard 3-year warranty

Unique Selling Points

Sleek and versatile

Ultra slim body

High Screen-to-Body Ratio

Attractive metallic design

Number of flexible configurations

Built with industrial grade components designed from the ground up to support embedded processors

Unique Display Port Cable

Carries out the transactions quickly and efficiently, helping build customer loyalty and growing your business.

SPECIFICATIONS

	Model	CA850				
System	Motherboard	D84U	F34	F84U		
	Processor	Intel KabyLake-U CPU i3- 7100U 2.4GHz	Intel® Elkhart Lake Celeron J6412	Intel® Tiger Lake i3- 1115G4		
	Memory	8GB DDR4 (Max 16GB)				
	Storage	128GB SSD (M.2) (Max 512GB)				
Display	Size and Resolution	15.6″ 1920×1080				
	Touch Screen	True-Flat PCAP multi-touch				
I/O Ports (Front Side)	USB Type-A	1x USB2.0				
I/O Ports (Rear Side)	USB Type-A	2x USB3.0, 2x USB2.0				
	USB Type-C	2x USB3.0 (data only)	1x USB.2.0 (data only) 1x USB 3.0 (data only)	1x USB 3.0 (data only) 1x USB 3.0 (full-featured)		
	Serial Port	2x DB9 (default: 0V; COM1/COM2: 0V, 5V, 12V)				
	LAN	1x RJ45				
	Cash Drawer	1x RJ11				
	DC Jack	1x 4PIN (with latch)				
Audio	Internal Speaker	1x 3W (Option)				
Indicator	Power Button	1				
	Power LED	1				
Power	Power Adapter	120W / 19V	65W / 19V	120W / 19V		
Communication	Wireless LAN + BT (Optional)	Wi-Fi + BT USB dongle (Option)				

*Product specifications and data are subject to change without notice (E&OE)

SPECIFICATIONS

System	Model	CA850			
		D84U	F34	F84U	
Peripherals (Option)	MSR	3-Track MSR (USB)			
	Fingerprint	Fingerprint reader (USB)			
	NFC	NFC Reader			
	iButton	iButton (USB)			
	Scanner	2D Scanner			
	Customer Display	LCM display 2 x 20 characters (USB)			
	2nd Display	11.6" 2nd display (optional)			
	Powered USB	2x 12V Powered USB 1x 24V Powered USB			
Accessories	Cable	Converter cable for FeDP to VGA Converter cable for FeDP to HDMI			
(Option)	Thermal Solution	Heatsink kit			
Certificate	EMC & Safety	FCC Class A, CE Mark, LVD			
Environment	Operating Temperature	0°C ~ 35°C (32°F ~ 95°F)			
	Storage Temp.	-20°C ~ 60°C (-4°F ~ 140°F)			
	Humidity	20% ~ 85% RH non-condensing			
Dimensions	W x D x H	369 x 200 x 375 mm (14.5" x 7.9" x 14.8")			
Weight	Weight (Kg)	5.4kg (11.9lbs)			
OS Supported		Windows 10 IoT Enterprise, Linux			
Warranty		36 Months			

*Product specifications and data are subject to change without notice (E&OE)

